



ELSEVIER

Chemical Physics 221 (1997) 333–335


Chemical
Physics

Author index to volume 221

- Archirel, P., Preoptimised VB: a fast method for the ground and excited states of ionic clusters II. Delocalised preoptimisation for He_2^+ , Ar_2^+ , He_3^+ and Ar_3^+ 221 (1997) 237
- Archirel, P., see Langenberg, J.H. 221 (1997) 225
- Au, J.W. and C.E. Brion, Absolute oscillator strengths for the valence and inner (P 2p,2s) shell photoabsorption, photoionization, and ionic photofragmentation of PF_5 221 (1997) 135
- Au, J.W., G.R. Burton and C.E. Brion, Quantitative spectroscopic studies of the valence-shell electronic excitation of Freons (CFCl_3 , CF_2Cl_2 , CF_3Cl , and CF_4) in the VUV and soft X-ray regions 221 (1997) 151
- Baba, M., S. Kakitani, H. Ishii and T. Okuno, Fine atomic image of mica cleavage planes obtained with an atomic force microscope (AFM) and a novel procedure for image processing 221 (1997) 23
- Barreto, M.T., see Jorge, F.E. 221 (1997) 45
- Baumgarten, M., see Pawlik, J. 221 (1997) 121
- Blake, A.J., see Qin, W. 221 (1997) 77
- Börjesson, L.E.B., L. Ming and S. Nordholm, The PEMET model of collisional energy transfer in unimolecular reactions. Comparison with molecular dynamics simulation 221 (1997) 253
- Böttcher, R., see Pöpl, A. 221 (1997) 53
- Brion, C.E., see Au, J.W. 221 (1997) 135
- Brion, C.E., see Au, J.W. 221 (1997) 151
- Bucur, I.B., see Langenberg, J.H. 221 (1997) 225
- Buldyreva, J.V., see Kouzov, A.P. 221 (1997) 103
- Burton, G.R., see Au, J.W. 221 (1997) 151
- Changenet, P., P. Plaza, M.M. Martin, Y.H. Meyer and W. Rettig, Photophysics of triphenylphosphines and their oxides: role of dimethylamino substituents 221 (1997) 311
- Clade, J., see Engemann, C. 221 (1997) 189
- Cormack, A.J., A.J. Yench, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King, High-resolution threshold photoelectron spectroscopy of hydrogen iodide 221 (1997) 175
- da Silva, A.B.F., see Jorge, F.E. 221 (1997) 45
- Deng, H., Z. Lu, H. Mao and H. Xu, The liquid junction cell based on the nanostructured TiO_2 electrode sensitized with zinc tetrasulfonated phthalocyanine 221 (1997) 323
- Donovan, R.J., see Cormack, A.J. 221 (1997) 175
- Engemann, C., G. Kohring, A. Pantelouris, J. Hormes, S. Grimme, S.D. Peyerimhoff, J. Clade, F. Frick and M. Jansen, Experimental and theoretical investigations of the X-ray absorption near edge spectra (XANES) of P_4O_6 and $\text{P}_4\text{O}_6\text{X}$ (X = O, S, Se) 221 (1997) 189
- Esmond, J.R., see Yoshino, K. 221 (1997) 169

- Fernandes, N.G., see Porto, A.O. 221 (1997) 199
- Fischer, G., D.M. Smith and A.U. Nwankwoala, The electronic spectroscopy of 1,2,3-triazine 221 (1997) 11
- Frick, F., see Engemann, C. 221 (1997) 189
- Furuya, K., T. Ueda, M. Tokeshi and T. Ogawa, Rotational distributions and threshold energies of the CH(B-X) emission by controlled electron impact on methane, ethylene, and ethane 221 (1997) 303
- Gedanken, A., see Malakhovskii, A. 221 (1997) 215
- Gherghel, L., see Pawlik, J. 221 (1997) 121
- Grimme, S., see Engemann, C. 221 (1997) 189
- Halvick, P., see Thürwächter, R. 221 (1997) 33
- Hopkirk, A., see Cormack, A.J. 221 (1997) 175
- Hormes, J., see Engemann, C. 221 (1997) 189
- Ishii, H., see Baba, M. 221 (1997) 23
- Jansen, M., see Engemann, C. 221 (1997) 189
- Jorge, F.E., M.T. Barreto and A.B.F. da Silva, Adapted Gaussian basis sets for closed-shell atoms from samarium to nobelium generated with the generator coordinate Dirac-Fock method 221 (1997) 45
- Joyeux, M., On resonance-type effective vibrational Hamiltonians for CO₂. I. Theoretical background 221 (1997) 269
- Joyeux, M., On resonance-type effective vibrational Hamiltonians for CO₂. II. Results 221 (1997) 287
- Kakitani, S., see Baba, M. 221 (1997) 23
- Karabunarliev, S., see Pawlik, J. 221 (1997) 121
- King, G.C., see Cormack, A.J. 221 (1997) 175
- Kohring, G., see Engemann, C. 221 (1997) 189
- Kouzov, A.P. and J.V. Buldyreva, Orthogonal transformations in the line space and modelling of rotational relaxation in the Raman spectra of linear tops 221 (1997) 103
- Langenberg, J.H., I.B. Bucur and P. Archirel, Preoptimised VB: a fast method for the ground and excited states of ionic clusters I. Localised preoptimisation for (ArCO)⁺, (ArN₂)⁺ and N₄⁺ 221 (1997) 225
- Lawley, K.P., see Cormack, A.J. 221 (1997) 175
- Lu, Z., see Deng, H. 221 (1997) 323
- Machado, J.C., see Porto, A.O. 221 (1997) 199
- Magalhães, W.F., see Porto, A.O. 221 (1997) 199
- Malakhovskii, A. and A. Gedanken, Spatial separation of mixtures of CH₃I + Ar in a pulsed supersonic jet 221 (1997) 215
- Malinovsky, V.S., C. Meier and D.J. Tannor, Optical paralysis in electronically congested systems: application to large-amplitude vibrational motion of ground state Na₂ 221 (1997) 67
- Mao, H., see Deng, H. 221 (1997) 323
- Martin, M.M., see Changenet, P. 221 (1997) 311
- McCoy, D.G., see Qin, W. 221 (1997) 77
- Meier, C., see Malinovsky, V.S. 221 (1997) 67

- Meyer, Y.H., see Changenet, P. 221 (1997) 311
- Miller, R.J.D., see Rieger, P.T. 221 (1997) 85
- Ming, L., see Börjesson, L.E.B. 221 (1997) 253
- Nordholm, S., see Börjesson, L.E.B. 221 (1997) 253
- Nwankwoala, A.U., see Fischer, G. 221 (1997) 11
- Ogawa, T., see Furuya, K. 221 (1997) 303
- Ohsako, N., see Umemoto, H. 221 (1997) 209
- Okuno, T., see Baba, M. 221 (1997) 23
- Palese, S.P., see Rieger, P.T. 221 (1997) 85
- Panas, I., see Snis, A. 221 (1997) 1
- Pantelouris, A., see Engemann, C. 221 (1997) 189
- Parkinson, W.H., see Yoshino, K. 221 (1997) 169
- Pawlik, J., L. Gherghel, S. Karabunarliev and M. Baumgarten, Characterization of reduced porphyrinatozinc(II) complexes by EPR/ENDOR/TRIPLE and optical absorption spectroscopy 221 (1997) 121
- Peyerimhoff, S.D., see Engemann, C. 221 (1997) 189
- Plaza, P., see Changenet, P. 221 (1997) 311
- Pöpl, A. and R. Böttcher, Cross peak intensities in two-dimensional four-pulse electron spin echo modulation spectra of deuteriums in single crystals 221 (1997) 53
- Porto, A.O., W.F. Magalhães, N.G. Fernandes and J.C. Machado, Positron annihilation study in binary molecular solid solutions of metal acetylacetonate complexes using positron annihilation lifetime (PAL) and Doppler broadening (DBS) spectroscopies 221 (1997) 199
- Qin, W., D.G. McCoy, L. Torop and A.J. Blake, Intermediate coupling strength pre-dissociation of diatomic molecules: transition from diabatic to adiabatic case 221 (1997) 77
- Rettig, W., see Changenet, P. 221 (1997) 311
- Rieger, P.T., S.P. Palese and R.J.D. Miller, On the Förster model: Computational and ultrafast studies of electronic energy transport 221 (1997) 85
- Smith, D.M., see Fischer, G. 221 (1997) 11
- Snis, A. and I. Panas, N_2O_2 , $N_2O_2^-$ and $N_2O_2^{2-}$: structures, energetics and N-N bonding 221 (1997) 1
- Tannor, D.J., see Malinovsky, V.S. 221 (1997) 67
- Thürwächter, R. and P. Halvick, Ab initio quasidiabatic states for the reaction $N + CH \rightarrow NC + H$ 221 (1997) 33
- Tokeshi, M., see Furuya, K. 221 (1997) 303
- Torop, L., see Qin, W. 221 (1997) 77
- Ueda, T., see Furuya, K. 221 (1997) 303
- Umemoto, H. and N. Ohsako, Rate constants for the chemical and physical quenching of $Cd(5^3P_1)$ by H_2O and D_2O 221 (1997) 209
- Xu, H., see Deng, H. 221 (1997) 323
- Yencha, A.J., see Cormack, A.J. 221 (1997) 175
- Yoshino, K., J.R. Esmond and W.H. Parkinson, High-resolution absorption cross section measurements of NO_2 in the UV and visible region 221 (1997) 169



Subject index to volume 221

Methods and constructs

Theoretical

Computational methods for electronic structure

- N_2O_2 , $N_2O_2^-$ and $N_2O_2^{2-}$: structures, energetics and N–N bonding, A. Snis and I. Panas 221 (1997) 1
- The electronic spectroscopy of 1,2,3-triazine, G. Fischer, D.M. Smith and A.U. Nwankwoala 221 (1997) 11
- Fine atomic image of mica cleavage planes obtained with an atomic force microscope (AFM) and a novel procedure for image processing, M. Baba, S. Kakitani, H. Ishii and T. Okuno 221 (1997) 23
- Preoptimised VB: a fast method for the ground and excited states of ionic clusters I. Localised preoptimisation for $(ArCO)^+$, $(ArN_2)^+$ and N_4^+ , J.H. Langenberg, I.B. Bucur and P. Archirel 221 (1997) 225
- Preoptimised VB: a fast method for the ground and excited states of ionic clusters II. Delocalised preoptimisation for He_2^+ , Ar_2^+ , He_3^+ and Ar_3^+ , P. Archirel 221 (1997) 237

Semiempirical methods

- The PEMET model of collisional energy transfer in unimolecular reactions. Comparison with molecular dynamics simulation, L.E.B. Börjesson, L. Ming and S. Nordholm 221 (1997) 253

Algebraic approaches

- Ab initio quasidiabatic states for the reaction $N + CH \rightarrow NC + H$, R. Thürlwächter and P. Halvick 221 (1997) 33

Relativistic electronic structure theory

- Adapted Gaussian basis sets for closed-shell atoms from samarium to nobelium generated with the generator coordinate Dirac–Fock method, F.E. Jorge, M.T. Barreto and A.B.F. da Silva 221 (1997) 45

Spin states and magnetic interactions

- Cross peak intensities in two-dimensional four-pulse electron spin echo modulation spectra of deuteriums in single crystals, A. Pöpl and R. Böttcher 221 (1997) 53

Radiative (incl. relativistic) effects on molecules and molecular processes

- Optical paralysis in electronically congested systems: application to large-amplitude vibrational motion of ground state Na_2 , V.S. Malinovsky, C. Meier and D.J. Tanner 221 (1997) 67

Intramolecular dynamics

- On resonance-type effective vibrational Hamiltonians for CO₂. I. Theoretical background, M. Joyeux 221 (1997) 269
On resonance-type effective vibrational Hamiltonians for CO₂. II. Results, M. Joyeux 221 (1997) 287

Molecular dynamics of many particle systems and condensed phases

- Intermediate coupling strength pre-dissociation of diatomic molecules: transition from diabatic to adiabatic case, W. Qin, D.G. McCoy, L. Torop and A.J. Blake 221 (1997) 77
The PEMET model of collisional energy transfer in unimolecular reactions. Comparison with molecular dynamics simulation, L.E.B. Börjesson, L. Ming and S. Nordholm 221 (1997) 253

Non-equilibrium statistical mechanics

- On the Förster model: Computational and ultrafast studies of electronic energy transport, P.T. Rieger, S.P. Palese and R.J.D. Miller 221 (1997) 85

Equilibrium statistical mechanics and thermodynamics

- Orthogonal transformations in the line space and modelling of rotational relaxation in the Raman spectra of linear tops, A.P. Kouzov and J.V. Buldyreva 221 (1997) 103

Experiment*Magnetic resonances*

- Cross peak intensities in two-dimensional four-pulse electron spin echo modulation spectra of deuteriums in single crystals, A. Pöpl and R. Böttcher 221 (1997) 53
Characterization of reduced porphyrinatozinc(II) complexes by EPR/ENDOR/TRIPLE and optical absorption spectroscopy, J. Pawlik, L. Gherghel, S. Karabunarliev and M. Baumgarten 221 (1997) 121

Molecular spectroscopy

- The electronic spectroscopy of 1,2,3-triazine, G. Fischer, D.M. Smith and A.U. Nwankwoala 221 (1997) 11
Absolute oscillator strengths for the valence and inner (P 2p,2s) shell photoabsorption, photoionization, and ionic photofragmentation of PF₅, J.W. Au and C.E. Brion 221 (1997) 135
Quantitative spectroscopic studies of the valence-shell electronic excitation of Freons (CFCl₃, CF₂Cl₂, CF₃Cl, and CF₄) in the VUV and soft X-ray regions, J.W. Au, G.R. Burton and C.E. Brion 221 (1997) 151
High-resolution absorption cross section measurements of NO₂ in the UV and visible region, K. Yoshino, J.R. Esmond and W.H. Parkinson 221 (1997) 169

-visible

- Characterization of reduced porphyrinatozinc(II) complexes by EPR/ENDOR/TRIPLE and optical absorption spectroscopy, J. Pawlik, L. Gherghel, S. Karabunarliev and M. Baumgarten 221 (1997) 121

Photoelectron and Auger spectroscopy

- High-resolution threshold photoelectron spectroscopy of hydrogen iodide, A.J. Cormack, A.J. Yench, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King 221 (1997) 175

X-ray spectroscopy

- Experimental and theoretical investigations of the X-ray absorption near edge spectra (XANES) of P_4O_6 and P_4O_6X ($X = O, S, Se$), C. Engemann, G. Kohring, A. Pantelouris, J. Hormes, S. Grimme, S.D. Peyerimhoff, J. Clade, F. Frick and M. Jansen 221 (1997) 189
- Positron annihilation study in binary molecular solid solutions of metal acetylacetonate complexes using positron annihilation lifetime (PAL) and Doppler broadening (DBS) spectroscopies, A.O. Porto, W.F. Magalhães, N.G. Fernandes and J.C. Machado 221 (1997) 199

Electron impact spectroscopy

- Rotational distributions and threshold energies of the $CH(B-X)$ emission by controlled electron impact on methane, ethylene, and ethane, K. Furuya, T. Ueda, M. Tokeshi and T. Ogawa 221 (1997) 303

Laser induced fluorescence

- Rate constants for the chemical and physical quenching of $Cd(5^3P_1)$ by H_2O and D_2O , H. Umemoto and N. Ohsako 221 (1997) 209
- Photophysics of triphenylphosphines and their oxides: role of dimethylamino substituents, P. Changenet, P. Plaza, M.M. Martin, Y.H. Meyer and W. Rettig 221 (1997) 311

Ultrafast measurements

- On the Förster model: Computational and ultrafast studies of electronic energy transport, P.T. Rieger, S.P. Palese and R.J.D. Miller 221 (1997) 85
- Photophysics of triphenylphosphines and their oxides: role of dimethylamino substituents, P. Changenet, P. Plaza, M.M. Martin, Y.H. Meyer and W. Rettig 221 (1997) 311

Synchrotron spectroscopies

- High-resolution threshold photoelectron spectroscopy of hydrogen iodide, A.J. Cormack, A.J. Yench, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King 221 (1997) 175
- Experimental and theoretical investigations of the X-ray absorption near edge spectra (XANES) of P_4O_6 and P_4O_6X ($X = O, S, Se$), C. Engemann, G. Kohring, A. Pantelouris, J. Hormes, S. Grimme, S.D. Peyerimhoff, J. Clade, F. Frick and M. Jansen 221 (1997) 189

Coherent optical spectroscopy

- Optical paralyis in electronically congested systems: application to large-amplitude vibrational motion of ground state Na_2 , V.S. Malinovsky, C. Meier and D.J. Tannor 221 (1997) 67

Mass spectroscopy

- Spatial separation of mixtures of $CH_3I + Ar$ in a pulsed supersonic jet, A. Malakhovskii and A. Gedanken 221 (1997) 215

X-ray, electron and neutron diffraction

- Positron annihilation study in binary molecular solid solutions of metal acetylacetonate complexes using positron annihilation lifetime (PAL) and Doppler broadening (DBS) spectroscopies, A.O. Porto, W.F. Magalhães, N.G. Fernandes and J.C. Machado 221 (1997) 199

Scanning tunneling and force microscopies

- The liquid junction cell based on the nanostructured TiO_2 electrode sensitized with zinc tetrasulfonated phthalocyanine, H. Deng, Z. Lu, H. Mao and H. Xu 221 (1997) 323

Measurement of macroscopic variables

- Fine atomic image of mica cleavage planes obtained with an atomic force microscope (AFM) and a novel procedure for image processing, M. Baba, S. Kakitani, H. Ishii and T. Okuno

221 (1997) 23

Objects**Bulk systems***Gases*

- The electronic spectroscopy of 1,2,3-triazine, G. Fischer, D.M. Smith and A.U. Nwankwoala
 Optical paralysis in electronically congested systems: application to large-amplitude vibrational motion of ground state Na_2 , V.S. Malinovsky, C. Meier and D.J. Tannor
 Orthogonal transformations in the line space and modelling of rotational relaxation in the Raman spectra of linear tops, A.P. Kouzov and J.V. Buldyreva
 Rate constants for the chemical and physical quenching of $\text{Cd}(5^3\text{P}_1)$ by H_2O and D_2O , H. Umemoto and N. Ohsako
 Spatial separation of mixtures of $\text{CH}_3\text{I} + \text{Ar}$ in a pulsed supersonic jet, A. Malakhovskii and A. Gedanken
 The PEMET model of collisional energy transfer in unimolecular reactions. Comparison with molecular dynamics simulation, L.E.B. Börjesson, L. Ming and S. Nordholm

221 (1997) 11

221 (1997) 67

221 (1997) 103

221 (1997) 209

221 (1997) 215

221 (1997) 253

Supersonic beams

- Rotational distributions and threshold energies of the $\text{CH}(\text{B}-\text{X})$ emission by controlled electron impact on methane, ethylene, and ethane, K. Furuya, T. Ueda, M. Tokeshi and T. Ogawa

221 (1997) 303

Liquid mixtures and solutions

- Characterization of reduced porphyrinatozinc(II) complexes by EPR/ENDOR/TRIPLE and optical absorption spectroscopy, J. Pawlik, L. Gherghel, S. Karabunarliev and M. Baumgarten
 Photophysics of triphenylphosphines and their oxides: role of dimethylamino substituents, P. Changenet, P. Plaza, M.M. Martin, Y.H. Meyer and W. Rettig

221 (1997) 121

221 (1997) 311

Crystals

- Fine atomic image of mica cleavage planes obtained with an atomic force microscope (AFM) and a novel procedure for image processing, M. Baba, S. Kakitani, H. Ishii and T. Okuno
 Cross peak intensities in two-dimensional four-pulse electron spin echo modulation spectra of deuteriums in single crystals, A. Pöpl and R. Böttcher

221 (1997) 23

221 (1997) 53

-mixed

- Positron annihilation study in binary molecular solid solutions of metal acetylacetonate complexes using positron annihilation lifetime (PAL) and Doppler broadening (DBS) spectroscopies, A.O. Porto, W.F. Magalhães, N.G. Fernandes and J.C. Machado

221 (1997) 199

Semiconductors

- The liquid junction cell based on the nanostructured TiO_2 electrode sensitized with zinc tetrasulfonated phthalocyanine, H. Deng, Z. Lu, H. Mao and H. Xu 221 (1997) 323

Dielectrics

- Cross peak intensities in two-dimensional four-pulse electron spin echo modulation spectra of deuteriums in single crystals, A. Pöpl and R. Böttcher 221 (1997) 53

Microscopic and mesoscopic systems*Single atoms, molecules and assemblies (incl. biological)*

- N_2O_2 , N_2O_2^- and $\text{N}_2\text{O}_2^{2-}$: structures, energetics and N–N bonding, A. Snis and I. Panas 221 (1997) 1
 Fine atomic image of mica cleavage planes obtained with an atomic force microscope (AFM) and a novel procedure for image processing, M. Baba, S. Kakitani, H. Ishii and T. Okuno 221 (1997) 23
 Adapted Gaussian basis sets for closed-shell atoms from samarium to nobelium generated with the generator coordinate Dirac–Fock method, F.E. Jorge, M.T. Barreto and A.B.F. da Silva 221 (1997) 45
 Rate constants for the chemical and physical quenching of $\text{Cd}(5^3\text{P}_1)$ by H_2O and D_2O , H. Umemoto and N. Ohsako 221 (1997) 209

Molecules (neutral and ionic)

- Optical paralysis in electronically congested systems: application to large-amplitude vibrational motion of ground state Na_2 , V.S. Malinovsky, C. Meier and D.J. Tannor 221 (1997) 67
 High-resolution threshold photoelectron spectroscopy of hydrogen iodide, A.J. Cormack, A.J. Yencha, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King 221 (1997) 175
 Spatial separation of mixtures of $\text{CH}_3\text{I} + \text{Ar}$ in a pulsed supersonic jet, A. Malakhovskii and A. Gedanken 221 (1997) 215
 The PEMET model of collisional energy transfer in unimolecular reactions. Comparison with molecular dynamics simulation, L.E.B. Börjesson, L. Ming and S. Nordholm 221 (1997) 253

-diatomic

- Intermediate coupling strength pre-dissociation of diatomic molecules: transition from diabatic to adiabatic case, W. Qin, D.G. McCoy, L. Torop and A.J. Blake 221 (1997) 77
 Orthogonal transformations in the line space and modelling of rotational relaxation in the Raman spectra of linear tops, A.P. Kouzov and J.V. Buldyreva 221 (1997) 103
 High-resolution threshold photoelectron spectroscopy of hydrogen iodide, A.J. Cormack, A.J. Yencha, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King 221 (1997) 175

-small polyatomics

- N_2O_2 , N_2O_2^- and $\text{N}_2\text{O}_2^{2-}$: structures, energetics and N–N bonding, A. Snis and I. Panas 221 (1997) 1
 Ab initio quasidiabatic states for the reaction $\text{N} + \text{CH} \rightarrow \text{NC} + \text{H}$, R. Thürlwächter and P. Halvick 221 (1997) 33
 Absolute oscillator strengths for the valence and inner (P 2p,2s) shell photoabsorption, photoionization, and ionic photofragmentation of PF_3 , J.W. Au and C.E. Brion 221 (1997) 135
 Quantitative spectroscopic studies of the valence-shell electronic excitation of Freons (CFCl_3 , CF_2Cl_2 , CF_3Cl , and CF_4) in the VUV and soft X-ray regions, J.W. Au, G.R. Burton and C.E. Brion 221 (1997) 151

- High-resolution absorption cross section measurements of NO_2 in the UV and visible region, K. Yoshino, J.R. Esmond and W.H. Parkinson 221 (1997) 169
- Experimental and theoretical investigations of the X-ray absorption near edge spectra (XANES) of P_4O_6 and $\text{P}_4\text{O}_6\text{X}$ ($\text{X} = \text{O}, \text{S}, \text{Se}$), C. Engemann, G. Kohring, A. Pantelouris, J. Hormes, S. Grimme, S.D. Peyerimhoff, J. Clade, F. Frick and M. Jansen 221 (1997) 189
- On resonance-type effective vibrational Hamiltonians for CO_2 . I. Theoretical background, M. Joyeux 221 (1997) 269
- On resonance-type effective vibrational Hamiltonians for CO_2 . II. Results, M. Joyeux 221 (1997) 287
- Rotational distributions and threshold energies of the $\text{CH}(\text{B}-\text{X})$ emission by controlled electron impact on methane, ethylene, and ethane, K. Furuya, T. Ueda, M. Tokeshi and T. Ogawa 221 (1997) 303
- aromatics*
- The electronic spectroscopy of 1,2,3-triazine, G. Fischer, D.M. Smith and A.U. Nwankwoala 221 (1997) 11
- other large*
- Characterization of reduced porphyrinatozinc(II) complexes by EPR/ENDOR/TRIPLE and optical absorption spectroscopy, J. Pawlik, L. Gherghel, S. Karabunarliev and M. Baumgarten 221 (1997) 121
- Molecular aggregates*
- Preoptimised VB: a fast method for the ground and excited states of ionic clusters I. Localised preoptimisation for $(\text{ArCO})^+$, $(\text{ArN}_2)^+$ and N_4^+ , J.H. Langenberg, I.B. Bucur and P. Archirel 221 (1997) 225
- Preoptimised VB: a fast method for the ground and excited states of ionic clusters II. Delocalised preoptimisation for He_2^+ , Ar_2^+ , He_3^+ and Ar_3^+ , P. Archirel 221 (1997) 237
- dimers*
- The liquid junction cell based on the nanostructured TiO_2 electrode sensitized with zinc tetrasulfonated phthalocyanine, H. Deng, Z. Lu, H. Mao and H. Xu 221 (1997) 323
- van der Waals molecules*
- Preoptimised VB: a fast method for the ground and excited states of ionic clusters I. Localised preoptimisation for $(\text{ArCO})^+$, $(\text{ArN}_2)^+$ and N_4^+ , J.H. Langenberg, I.B. Bucur and P. Archirel 221 (1997) 225
- Preoptimised VB: a fast method for the ground and excited states of ionic clusters II. Delocalised preoptimisation for He_2^+ , Ar_2^+ , He_3^+ and Ar_3^+ , P. Archirel 221 (1997) 237
- Free radicals (incl. hydronium and muonium)*
- Cross peak intensities in two-dimensional four-pulse electron spin echo modulation spectra of deuteriums in single crystals, A. Pöpl and R. Böttcher 221 (1997) 53
- Supramolecular assemblies (incl. nanoparticles and nanostructures)*
- The liquid junction cell based on the nanostructured TiO_2 electrode sensitized with zinc tetrasulfonated phthalocyanine, H. Deng, Z. Lu, H. Mao and H. Xu 221 (1997) 323

Phenomena

Molecular structure

- N_2O_2 , N_2O_2^- and $\text{N}_2\text{O}_2^{2-}$: structures, energetics and N–N bonding, A. Snis and I. Panas 221 (1997) 1
- Cross peak intensities in two-dimensional four-pulse electron spin echo modulation spectra of deuteriums in single crystals, A. Pöpl and R. Böttcher 221 (1997) 53
- Experimental and theoretical investigations of the X-ray absorption near edge spectra (XANES) of P_4O_6 and $\text{P}_4\text{O}_6\text{X}$ ($\text{X} = \text{O}, \text{S}, \text{Se}$), C. Engemann, G. Kohring, A. Pantelouris, J. Hormes, S. Grimme, S.D. Peyerimhoff, J. Clade, F. Frick and M. Jansen 221 (1997) 189

Vibrations and rotations of molecules

- Optical paralysis in electronically congested systems: application to large-amplitude vibrational motion of ground state Na_2 , V.S. Malinovsky, C. Meier and D.J. Tannor 221 (1997) 67
- Orthogonal transformations in the line space and modelling of rotational relaxation in the Raman spectra of linear tops, A.P. Kouzov and J.V. Buldyreva 221 (1997) 103
- On resonance-type effective vibrational Hamiltonians for CO_2 . I. Theoretical background, M. Joyeux 221 (1997) 269
- On resonance-type effective vibrational Hamiltonians for CO_2 . II. Results, M. Joyeux 221 (1997) 287

Electronic structure and states

- N_2O_2 , N_2O_2^- and $\text{N}_2\text{O}_2^{2-}$: structures, energetics and N–N bonding, A. Snis and I. Panas 221 (1997) 1
- The electronic spectroscopy of 1,2,3-triazine, G. Fischer, D.M. Smith and A.U. Nwankwoala 221 (1997) 11
- Adapted Gaussian basis sets for closed-shell atoms from samarium to nobelium generated with the generator coordinate Dirac–Fock method, F.E. Jorge, M.T. Barreto and A.B.F. da Silva 221 (1997) 45
- Characterization of reduced porphyrinatozinc(II) complexes by EPR/ENDOR/TRIPLE and optical absorption spectroscopy, J. Pawlik, L. Gherghel, S. Karabunarliev and M. Baumgarten 221 (1997) 121
- Preoptimised VB: a fast method for the ground and excited states of ionic clusters I. Localised preoptimisation for $(\text{ArCO})^+$, $(\text{ArN}_2)^+$ and N_4^+ , J.H. Langenberg, I.B. Bucur and P. Archirel 221 (1997) 225
- Preoptimised VB: a fast method for the ground and excited states of ionic clusters II. Delocalised preoptimisation for He_2^+ , Ar_2^+ , He_3^+ and Ar_3^+ , P. Archirel 221 (1997) 237

Molecular interactions

- Experimental and theoretical investigations of the X-ray absorption near edge spectra (XANES) of P_4O_6 and $\text{P}_4\text{O}_6\text{X}$ ($\text{X} = \text{O}, \text{S}, \text{Se}$), C. Engemann, G. Kohring, A. Pantelouris, J. Hormes, S. Grimme, S.D. Peyerimhoff, J. Clade, F. Frick and M. Jansen 221 (1997) 189
- Preoptimised VB: a fast method for the ground and excited states of ionic clusters I. Localised preoptimisation for $(\text{ArCO})^+$, $(\text{ArN}_2)^+$ and N_4^+ , J.H. Langenberg, I.B. Bucur and P. Archirel 221 (1997) 225
- Preoptimised VB: a fast method for the ground and excited states of ionic clusters II. Delocalised preoptimisation for He_2^+ , Ar_2^+ , He_3^+ and Ar_3^+ , P. Archirel 221 (1997) 237

Spectral bandshapes and intensities

- Intermediate coupling strength pre-dissociation of diatomic molecules: transition from diabatic to adiabatic case, W. Qin, D.G. McCoy, L. Torop and A.J. Blake 221 (1997) 77

- Orthogonal transformations in the line space and modelling of rotational relaxation in the Raman spectra of linear tops, A.P. Kouzov and J.V. Buldyreva 221 (1997) 103
- Absolute oscillator strengths for the valence and inner (P 2p,2s) shell photoabsorption, photoionization, and ionic photofragmentation of PF₅, J.W. Au and C.E. Brion 221 (1997) 135
- Quantitative spectroscopic studies of the valence-shell electronic excitation of Freons (CFCl₃, CF₂Cl₂, CF₃Cl, and CF₄) in the VUV and soft X-ray regions, J.W. Au, G.R. Burton and C.E. Brion 221 (1997) 151
- High-resolution absorption cross section measurements of NO₂ in the UV and visible region, K. Yoshino, J.R. Esmond and W.H. Parkinson 221 (1997) 169
- Coupling of electronic and nuclear motion*
- Ab initio quasidiabatic states for the reaction N + CH → NC + H, R. Thürwächter and P. Halvick 221 (1997) 33
- Intermediate coupling strength pre-dissociation of diatomic molecules: transition from diabatic to adiabatic case, W. Qin, D.G. McCoy, L. Torop and A.J. Blake 221 (1997) 77
- Energy transfer processes*
- On the Förster model: Computational and ultrafast studies of electronic energy transport, P.T. Rieger, S.P. Palese and R.J.D. Miller 221 (1997) 85
- The PEMET model of collisional energy transfer in unimolecular reactions. Comparison with molecular dynamics simulation, L.E.B. Börjesson, L. Ming and S. Nordholm 221 (1997) 253
- Molecular photophysical processes*
- On the Förster model: Computational and ultrafast studies of electronic energy transport, P.T. Rieger, S.P. Palese and R.J.D. Miller 221 (1997) 85
- Quantitative spectroscopic studies of the valence-shell electronic excitation of Freons (CFCl₃, CF₂Cl₂, CF₃Cl, and CF₄) in the VUV and soft X-ray regions, J.W. Au, G.R. Burton and C.E. Brion 221 (1997) 151
- Photophysics of triphenylphosphines and their oxides: role of dimethylamino substituents, P. Changenet, P. Plaza, M.M. Martin, Y.H. Meyer and W. Rettig 221 (1997) 311
- Intramolecular dynamics*
- vibrational energy redistribution (incl. vibrational dissociation)*
- Intermediate coupling strength pre-dissociation of diatomic molecules: transition from diabatic to adiabatic case, W. Qin, D.G. McCoy, L. Torop and A.J. Blake 221 (1997) 77
- Reactions (incl. dissociation)*
- Ab initio quasidiabatic states for the reaction N + CH → NC + H, R. Thürwächter and P. Halvick 221 (1997) 33
- isolated molecules*
- Rotational distributions and threshold energies of the CH(B-X) emission by controlled electron impact on methane, ethylene, and ethane, K. Furuya, T. Ueda, M. Tokeshi and T. Ogawa 221 (1997) 303
- Electron transfer*
- Photophysics of triphenylphosphines and their oxides: role of dimethylamino substituents, P. Changenet, P. Plaza, M.M. Martin, Y.H. Meyer and W. Rettig 221 (1997) 311

- The liquid junction cell based on the nanostructured TiO_2 electrode sensitized with zinc tetrasulfonated phthalocyanine, H. Deng, Z. Lu, H. Mao and H. Xu 221 (1997) 323
- Positron annihilation*
- Positron annihilation study in binary molecular solid solutions of metal acetylacetonate complexes using positron annihilation lifetime (PAL) and Doppler broadening (DBS) spectroscopies, A.O. Porto, W.F. Magalhães, N.G. Fernandes and J.C. Machado 221 (1997) 199
- Ionization (incl. Rydberg states)*
- Absolute oscillator strengths for the valence and inner (P 2p,2s) shell photoabsorption, photoionization, and ionic photofragmentation of PF_5 , J.W. Au and C.E. Brion 221 (1997) 135
- High-resolution threshold photoelectron spectroscopy of hydrogen iodide, A.J. Cormack, A.J. Yench, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King 221 (1997) 175
- Isotopic effects*
- Rate constants for the chemical and physical quenching of $\text{Cd}(5^3\text{P}_1)$ by H_2O and D_2O , H. Umemoto and N. Ohsako 221 (1997) 209
- Structure of solids, liquids and glasses*
- Fine atomic image of mica cleavage planes obtained with an atomic force microscope (AFM) and a novel procedure for image processing, M. Baba, S. Kakitani, H. Ishii and T. Okuno 221 (1997) 23
- On the Förster model: Computational and ultrafast studies of electronic energy transport, P.T. Rieger, S.P. Palese and R.J.D. Miller 221 (1997) 85

